

according to 1907/2006/EC, Article 31

Page 1/8
Printing date 04.12.2014
Revision: 04.12.2014
Version number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Cartechnic Insekten-Entferner Gel Extra Stark
- · Article number: 4027289006192
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Application of the substance / the mixture Cleaning agent/ Cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Auto-Teile-Ring GmbH Otto-Hirsch-Brücken 17 70329 Stuttgart

Germany

Telefon: +49 (0) 711 - 918979-0 E-Mail: info@cartechnic.de

· Further information obtainable from:

Abteilung Produktsicherheit

labor@autosol.de

· 1.4 Emergency telephone number:

Giftinformationszentrum Mainz

Tel.: +49 (6131) 19240

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Keep out of reach of children.

Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Page 2/8
Printing date 04.12.2014
Revision: 04.12.2014
Version number 1

Trade name: Cartechnic Insekten-Entferner Gel Extra Stark

(Contd. of page 1)

· Dangerous components:		
CAS: 164462-16-2	Reaction mass aus (2S)-Alanin, N,N-bis(carboxymethyl)-,	1-10%
	Trinatriumsalz und (2R)-Alanin, N,N-bis(carboxymethyl)-,	
	Trinatriumsalz	
	♦ Met. Corr.1, H290	
CAS: 68891-38-3	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	1-10%
Reg.nr.: 01-2119488639-16-xxxx	📀 Eye Dam. 1, H318; 🗘 Skin Irrit. 2, H315	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Rinse out mouth and then drink plenty of water.
- $\,\,$ 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Sulphur dioxide (SO2)

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Page 3/8
Printing date 04.12.2014
Revision: 04.12.2014
Version number 1

Trade name: Cartechnic Insekten-Entferner Gel Extra Stark

(Contd. of page 2)

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Provide alkali-resistant floor.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 8 B
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

Fluorocarbon rubber (Viton)

Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6).

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Page 4/8
Printing date 04.12.2014
Revision: 04.12.2014
Version number 1

Trade name: Cartechnic Insekten-Entferner Gel Extra Stark

(Contd. of page 3)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

SECTION 9: Physical and chemical properties

	• •	
9.1 Information on basic physical and chemical properties		
· General Information		
· Appearance:	FI.::-J	
Form:	Fluid	
Colour:	Pink	
· Odour:	Ammonia-like	
· Odour threshold:	Not determined.	
· pH-value at 20 °C:	11	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	> 100 °C	
· Flash point:	> 100 °C	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	> 200 °C	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density at 20 °C:	1.065 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient (n-octanol/water): Not determined.		
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· 9.2 Other information	No further relevant information available.	



according to 1907/2006/EC, Article 31

Page 5/8
Printing date 04.12.2014
Revision: 04.12.2014
Version number 1

Trade name: Cartechnic Insekten-Entferner Gel Extra Stark

(Contd. of page 4)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

LD/LC50 values relevant for classification:		
164462-16-2 Reaction mass aus (2S)-Alanin, N,N-bis(carboxymethyl)-, Trinatriumsalz und (2R)- Alanin, N,N-bis(carboxymethyl)-, Trinatriumsalz		
Oral	LD50 > 4000 mg/kg (rat)	
Dermal	LD50 > 4000 mg/kg (rat) (OECD-Richtlinie 402)	
68891-38-3 Alcohols, C12-14, ethoxylated, sulfates, sodium salts		
Oral	LD50 >2000 mg/kg (rat)	

- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitisation: No sensitising effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, disziness, etc.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

68891-38-3 Alcohols, C12-14, ethoxylated, sulfates, sodium salts

LC50 (96 h) >1 mg/l (fish)

· 12.2 Persistence and degradability

164462-16-2 Reaction mass aus (2S)-Alanin, N,N-bis(carboxymethyl)-, Trinatriumsalz und (2R)-Alanin, N,N-bis(carboxymethyl)-, Trinatriumsalz

log POW |-4.0 (log POW)

(Contd. on page 6)



according to 1907/2006/EC, Article 31

Page 6/8
Printing date 04.12.2014
Revision: 04.12.2014
Version number 1

Trade name: Cartechnic Insekten-Entferner Gel Extra Stark

(Contd. of page 5)

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.

· European waste catalogue	
07 06 01*	aqueous washing liquids and mother liquors
07 06 10*	other filter cakes and spent absorbents
15 01 02	plastic packaging

- · Uncleaned packaging:
- · Recommendation: Non contaminated packagings may be treated like household garbage.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

• 14.1 UN-Number • ADR, IMDG, IATA • 14.2 UN proper shipping name • ADR • ADR 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Reaction mass aus (2S)-Alanin, N,N-bis(carboxymethyl)-, Trinatriumsalz und (2R)-Alanin, N,N-bis(carboxymethyl)-, Trinatriumsalz • IMDG, IATA • IMDG, IATA CAUSTIC ALKALI LIQUID, N.O.S. (Reaction mass aus (2S)-Alanin, N,N-bis(carboxymethyl)-, Trinatriumsalz und (2R)-Alanin, N,N-bis(carboxymethyl)-, Trinatriumsalz und (2R)-Alanin, N,N-bis(carboxymethyl)-, Trinatriumsalz

(Contd. on page 7)



according to 1907/2006/EC, Article 31

Page 7/8
Printing date 04.12.2014
Revision: 04.12.2014
Version number 1

Trade name: Cartechnic Insekten-Entferner Gel Extra Stark

(Contd. of page 6)

- · 14.3 Transport hazard class(es)
- · ADR, IMDG, IATA



· Class 8 Corrosive substances.

· Label 8

· 14.4 Packing group · ADR, IMDG, IATA

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Warning: Corrosive substances.

Danger code (Kemler):EMS Number:Segregation groups80F-A,S-BAlkalis

· 14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ) 5L

• Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· Transport category 3
· Tunnel restriction code E

·IMDG

· Limited quantities (LQ) 5L

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": UN1719, CAUSTIC ALKALI LIQUID, N.O.S. (Reaction

mass aus (2S)-Alanin, N,N-bis(carboxymethyl)-,

Trinatriumsalz und (2R)-Alanin, N,N-bis(carboxymethyl)-, Trinatriumsalz), 8, III

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 8)



according to 1907/2006/EC, Article 31

Page 8/8
Printing date 04.12.2014
Revision: 04.12.2014
Version number 1

Trade name: Cartechnic Insekten-Entferner Gel Extra Stark

(Contd. of page 7)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290 May be corrosive to metals.

H315 Causes skin irritation.

H318 Causes serious eye damage.

Department issuing MSDS:

Dursol-Fabrik Otto Durst GmbH & Co. KG

Martinstraße 22

42655 Solingen

Germany

Abteilung F&E / Produktsicherheit

· Contact: labor@autosol.de

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Met. Corr.1: Corrosive to metals, Hazard Category 1 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

- GB —